

Alachua County

License Number: 1101893

BROWN'S COUNTRY BUFFET

License Type: Permanent Food Service

14423 NW US HWY 441, ALACHUA 32615

Inspection Date: 03/25/2024

Inspection Number: 3396332

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: CASEY, KEITH

Violation Code

Observation

Violation Citation

47-02-4

Observed scorch marks around electrical outlet. For reporting purposes only.
 Observed the scorch marks on the electric outlet over the dish wash machine are still there. ****Repeat Violation****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Brevard County

License Number: 1506837 ANTONIO & VITTORIA ITALIAN TAVERN
 License Type: Permanent Food Service 586 HWY A1A, SATELLITE BEACH 32937

Inspection Date: 03/26/2024 Inspection Number: 3410183 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BRAYBOY, LYNN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Red extinguisher in recharge in cooking area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 1506756 STRAIGHT OUTTA PHILLY MERRITT ISLAND
 License Type: Permanent Food Service 203 CROCKETT BLVD, MERRITT ISLAND 32953

Inspection Date: 03/25/2024 Inspection Number: 3404630 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: FICHTER, GARRICK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. On wall near rear door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Broward County

License Number: 1621850

POOL BAR

License Type: Permanent Food Service

1 N FT LAUDERDALE BEACH BLVD, FORT LAUDERDALE 33304

Inspection Date: 03/27/2024

Inspection Number: 3344685

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Complied

Inspector Name: BRANN, JUSTIN

Violation Code

Observation

Violation Citation

48-01-5

- From initial inspection : No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.
136234 exp 8-4-2023; 136235 exp 8-4-2023; 088746 exp 8-4-2023 **Repeat Violation** - From follow-up inspection 2024-03-27: Observed same. **Time Extended**

61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

Clay County

License Number: 2001342

NO-MANCHES

License Type: Permanent Food Service

174 BLANDING BLVD, ORANGE PARK 32073

Inspection Date: 03/27/2024

Inspection Number: 3404500

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: BUCKLER, MANDY

Violation Code

Observation

Violation Citation

49-01-4

Flammables stored/debris present in storage room. For reporting purposes only. Outside shed storing chemicals, dry goods and single-service items has 5 gallon container about 1/3 full of gasoline. Operator removed gasoline can from shed.
Corrected On-Site

61C-1.004(6) FAC Reporting: (6) Attics, basements, boiler rooms, meter rooms, laundry rooms, and storage rooms shall be kept clean and free of debris and flammables. For reporting purposes only.

Collier County

License Number: 2102850		AJI LIMON PERUVIAN KITCHEN	
License Type: Permanent Food Service		11985 COLLIER BLVD STE 9, NAPLES 34116	
Inspection Date: 03/26/2024	Inspection Number: 3405244	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: MEADE, ARTHUR			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Observed two fire extinguishers on a prep table. Per Operator, they are usually hung in designated locations.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2101025		GOLD GARDEN	
License Type: Permanent Food Service		101 NEW MARKET RD W, IMMOKALEE 34142	
Inspection Date: 03/28/2024	Inspection Number: 3397795	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: METCALF, VIRGIL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
49-05-4	Flammables stored near a source of ignition. For reporting purposes only. Observed generator and propane tanks stored in rear storage room inside the rear storage area of the building.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2101883		ROMA IN LIMA PIZZA & CUISINE LLC	
License Type: Permanent Food Service		1025 W MAIN ST, IMMOKALEE 34142	
Inspection Date: 03/28/2024	Inspection Number: 3396429	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: METCALF, VIRGIL			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed path to rear fire door in the hallway obstructed by chairs. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
46-04-4	Exit door locked. For reporting purposes only. Observed rear fire door in the hallway locked. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2330929		EL JAGUA BAR - CAFETERIA - RESTAURANT	
License Type: Permanent Food Service		4665 NW 7 ST, MIAMI 33126	
Inspection Date: 03/28/2024	Inspection Number: 3389178	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: HENLEY, LATONYA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed back door blocked by table with sandwich press on it. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2337273		CITIZENM MIAMI BRICKELL	
License Type: Permanent Food Service		11 SE 10TH STREET, MIAMI 33131	
Inspection Date: 03/25/2024	Inspection Number: 3408656	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: CABANAS, NATALIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. At the time of the inspection observed three boilers with an input rating of 700,000 btu each. No boiler certificate provided. All located on the 19th floor.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 2319946		BRO'S HOT CHICKEN	
License Type: Permanent Food Service		936 SW 67 AVE, MIAMI 33144	
Inspection Date: 03/26/2024	Inspection Number: 3421407	Inspection Type: Food-Licensing Inspection	Inspection Disposition: Warning Issued
Inspector Name: GRESSEAU, CHRISTINA			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed stored in dry storage area. Operator removed and placed outside. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2315872		BANGKOK CITY THAI AND SEAFOOD RESTAURANT INC	
License Type: Permanent Food Service		7378 SW 40 ST, MIAMI 33155	
Inspection Date: 03/28/2024	Inspection Number: 3392304	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: ELDER, AUDREY			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed ladder, broom, chair and cooler in front of back exit door. Manager removed items. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Dade County

License Number: 2334186 POLLO TROPICAL #129
 License Type: Permanent Food Service 7090 CORAL WAY, MIAMI 33155

Inspection Date: 03/25/2024 Inspection Number: 3392668 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ELDER, AUDREY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Observed cart with cardboard boxes stored in front of back exit door.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2314350 MARIACHI CHAPIN RESTAURANT
 License Type: Permanent Food Service 10827 SW 40 ST, MIAMI 33165

Inspection Date: 03/27/2024 Inspection Number: 3409815 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ELDER, AUDREY

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed 3 propane tanks at back storage room.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2337913 SHAH'S BAKERY
 License Type: Permanent Food Service 13299 SW 124 ST, MIAMI 33186

Inspection Date: 03/29/2024 Inspection Number: 3412950 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: LODENQUAI, BARRINGTON

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed in the dry storage area.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2615225 FLAVORIKAN
 License Type: Permanent Food Service 1803 E DUVAL ST, JACKSONVILLE 32202

Inspection Date: 03/28/2024 Inspection Number: 3422482 Inspection Type: Complaint Full Inspection Disposition: Administrative complaint recommended
 Inspector Name: ESPINOSA-BECKERT, ILIANA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. They have a hood but they area frying outside the hood area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Two by cook line **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2609126 HUFFMAN CATERING
 License Type: Permanent Food Service 5102 TIMUQUANA RD UNIT 5, JACKSONVILLE 32210

Inspection Date: 03/26/2024 Inspection Number: 3394737 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: MERCER, THOMAS

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Multiple propane tanks stored in unused walk-in cooler.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 2610373 CLIFFS BAR AND GRILL
 License Type: Permanent Food Service 3033 MONUMENT RD, JACKSONVILLE 32225

Inspection Date: 03/26/2024 Inspection Number: 3342453 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: VILBRUN, JOSUE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Operator has propane tank larger than 2.7lb stored in office area	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Duval County

License Number: 2616010		LA MICHOACANA AL NATURAL	
License Type: Permanent Food Service		11757 BEACH BLVD STE 14, JACKSONVILLE 32246	
Inspection Date: 03/25/2024	Inspection Number: 3422256	Inspection Type: Complaint Full	Inspection Disposition: Emergency order recommended
Inspector Name: JEFFERS, MARY-BETH			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. Junction box near restrooms in disrepair/ wires exposed/ no cover	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2608622		PAGODA REST AT BAYMEADOWS	
License Type: Permanent Food Service		8617 BAYMEADOWS RD, JACKSONVILLE 32256	
Inspection Date: 03/27/2024	Inspection Number: 3422452	Inspection Type: Complaint Full	Inspection Disposition: Administrative complaint recommended
Inspector Name: BADDING, MELANIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Observed two griddles in kitchen on table top with no hood.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2613527		JACKSONVILLE DODGE	
License Type: Permanent Food Service		11101 NURSERY FIELD'S DR, JACKSONVILLE 32256	
Inspection Date: 03/26/2024	Inspection Number: 3322108	Inspection Type: Routine - Food	Inspection Disposition: Warning Issued
Inspector Name: BADDING, MELANIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Establishment has two table top griddles, cook raw hamburgers per person in charge on griddles, no hood system present.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 2613943		SHERATON JACKSONVILLE HOTEL	
License Type: Permanent Food Service		10605 DEERWOOD PARK BLVD, JACKSONVILLE 32256	
Inspection Date: 03/29/2024	Inspection Number: 3386068	Inspection Type: Routine - Food	Inspection Disposition: Administrative complaint recommended
Inspector Name: BADDING, MELANIE			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only. Boiler certificate for 3 boilers on site expired 9/7/23. Also, no boiler certificate posted in boiler room. **Repeat Violation**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	

Flagler County

License Number: 2800875 TEXAS ROADHOUSE
License Type: Permanent Food Service 1298 PALM COAST PKWY SW, PALM COAST 32137

Inspection Date: 03/25/2024 Inspection Number: 3396449 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
Inspector Name: HARTMANN, MICHELLE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Blocked by cart. Person in charge removed cart. **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Hardee County

License Number: 3500245

MAIN PLAZA BISTRO BAR

License Type: Permanent Food Service

216 W MAIN STREET, WAUCHULA 33873

Inspection Date: 03/27/2024

Inspection Number: 3400470

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: SCHNELL, PAMELA

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only. Observed push bar exit door at back of dry storage cooler area locked with sliding deadbolt and push bar removed.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lake County

License Number: 4501135

ARBY'S

License Type: Permanent Food Service

16005 US HWY 441, EUSTIS 32726

Inspection Date: 03/27/2024

Inspection Number: 3336724

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: GUTTERMAN, KENNETH

Violation Code

Observation

Violation Citation

46-01-4

Marked exit/path to marked exit blocked. For reporting purposes only.
- back door

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Lee County

License Number: 4607015	SUPER TACOS
License Type: Permanent Food Service	1771 MANY RD, NORTH FORT MYERS 33903
Inspection Date: 03/27/2024	Inspection Number: 3393775
Inspector Name: KEATING, PATRICK	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-04-4	Exit door locked. For reporting purposes only. Observed door marked as fire exit barred closed unable to open. Repeat 9-25-23 **Repeat Violation**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4650736	ARIAS'S PUPUSAS
License Type: Mobile Food Dispensing Vehicle	1501 ORTIZ AVE, FORT MYERS 33905
Inspection Date: 03/23/2024	Inspection Number: 1273892
Inspector Name: FREED, JOSEPH	Inspection Type: Routine - Food
	Inspection Disposition: Call Back - Extension given, pending
<u>Violation Code</u>	<u>Observation</u>
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Observed propane tanks stored within structure. - From follow-up inspection 2024-03-23: **Time Extended**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4606383	BUFFALO WILD WINGS
License Type: Permanent Food Service	9390 DYNASTY DR STE 101, FT MYERS 33905
Inspection Date: 03/29/2024	Inspection Number: 3396375
Inspector Name: FREED, JOSEPH	Inspection Type: Routine - Food
	Inspection Disposition: Inspection Completed - No Further Action
<u>Violation Code</u>	<u>Observation</u>
46-04-4	Exit door locked. For reporting purposes only. Observed glass exit doors to outside bar locked. Operator unlocked during inspection. **Corrected On-Site**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 4607367	EL PATRON MEXICAN RESTAURANT & BAR
License Type: Permanent Food Service	3639-3641 PALM BEACH BLVD, FORT MYERS 33916
Inspection Date: 03/29/2024	Inspection Number: 3336582
Inspector Name: FREED, JOSEPH	Inspection Type: Routine - Food
	Inspection Disposition: Call Back - Complied
<u>Violation Code</u>	<u>Observation</u>
46-04-4	- From initial inspection : Exit door locked. For reporting purposes only. Observed rear exit locked in kitchen area. - From follow-up inspection 2024-03-29: **Time Extended**
	<u>Violation Citation</u>
	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Marion County

License Number: 5202894

EL CRIOLLO

License Type: Permanent Food Service

16580 S HWY 475, SUMMERFIELD 34491

Inspection Date: 03/28/2024

Inspection Number: 3409172

Inspection Type: Routine - Food

Inspection Disposition: Administrative
complaint recommended

Inspector Name: DRIGGERS, MANDY

Violation Code

Observation

Violation Citation

45-02-4

Portable fire extinguisher gauge in red zone. For reporting purposes only.
Extinguisher at entrance of kitchen from bar in recharge zone.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Martin County

License Number: 5300930

GUATEMEX RESTAURANT

License Type: Permanent Food Service

15648 SW WARFIELD BLVD, INDIANTOWN 34956

Inspection Date: 03/29/2024

Inspection Number: 3321088

Inspection Type: Routine - Food

Inspection Disposition: Call Back -
Admin. complaint recommended

Inspector Name: PITRE, ASTRID

Violation Code

Observation

Violation Citation

47-02-4

- From initial inspection : Observed scorch marks around electrical outlet. For reporting purposes only. At steam table in kitchen - From follow-up inspection 2023-11-01: ****Time Extended**** - From follow-up inspection 2024-03-29: Scorch marks. ****Admin Complaint****

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Orange County

License Number: 5811527		OVATIONS FOOD SERVICES DR PHILLIPS CENTER KITCHEN	
License Type: Catering		155 E ANDERSON ST, ORLANDO 32801	
Inspection Date: 03/27/2024	Inspection Number: 1126349	Inspection Type: Routine - Food	Inspection Disposition: Inspection Completed - No Further Action
Inspector Name: WHITE, THOMAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-01-5	No current insurance inspector boiler report or boiler certificate available for boiler. For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.	
License Number: 5813418		LOS GENERALES	
License Type: Permanent Food Service		2901 CURRY FORD RD #211 A, ORLANDO 32806	
Inspection Date: 03/26/2024	Inspection Number: 3413358	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Complied
Inspector Name: PLEICONES, KIM			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
46-01-4	- From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only. Side exit door, marked with an Exit sign, has chairs and high chairs in front of door - From follow-up inspection 2024-03-26: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
License Number: 5808834		EL CHINCHORREO DE MY FRIENDS	
License Type: Permanent Food Service		929 N SEMORAN BLVD, ORLANDO 32807	
Inspection Date: 03/28/2024	Inspection Number: 3411623	Inspection Type: Routine - Food	Inspection Disposition: Call Back - Extension given, pending
Inspector Name: WHITE, THOMAS			
<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Inside area that used to be a walk in freezer. Operator immediately removed to outside **Corrected On-Site** - From follow-up inspection 2024-03-28: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Inside area that used to be a walk in freezer. Operator immediately removed to outside **Corrected On-Site**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	
48-04-4	- From initial inspection : Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Inside area that used to be a walk in freezer. Operator immediately removed to outside **Corrected On-Site** - From follow-up inspection 2024-03-28: **Time Extended** - From follow-up inspection 2024-03-29: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.	

Orange County

License Number: 5812358 SPRINGHILL SUITES ORLANDO BREAKFAST AREA
 License Type: Permanent Food Service 10801 INTERNATIONAL DRIVE, ORLANDO 32821

Inspection Date: 03/26/2024 Inspection Number: 3359192 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: PASIECKI, VICTORIA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-01-5	current insurance inspector boiler report expired For reporting purposes only.	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.
48-01-5	- From initial inspection : current insurance inspector boiler report expired For reporting purposes only. - From follow-up inspection 2024-03-27: **Time Extended**	61C-1.004(10) FAC Reporting: (10) Heating and ventilation - The heating and ventilation system shall be kept in good repair or be installed to maintain a minimum of 68 degrees Fahrenheit throughout the building. The insurance inspectors boiler report is required annually for power boilers and high pressure/high temperature boilers and biannually for low pressure steam or vapor heating boilers and shall be posted in the boiler room. For reporting purposes only.

License Number: 5802233 GATORLAND SNACK BAR
 License Type: Permanent Food Service 14501 S ORANGE BLOSSOM TRAIL, ORLANDO 328376632

Inspection Date: 03/28/2024 Inspection Number: 3356177 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: ZAPATA, MAUREEN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. For reporting purposes only. Next to the hand wash sink	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 5812241 Q KARAOKE
 License Type: Permanent Food Service 4519 S ORANGE BLOSSOM TR, ORLANDO 32839

Inspection Date: 06/03/2023 Inspection Number: 3240715 Inspection Type: Routine - Food Inspection Disposition: Administrative complaint recommended
 Inspector Name: FICHTER, GARRICK

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only. Near back door	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Palm Beach County

License Number: 6020663

HOT PIE PIZZA

License Type: Permanent Food Service

11452 OKEECHOBEE BLVD, ROYAL PALM BEACH 33411

Inspection Date: 03/26/2024

Inspection Number: 3351713

Inspection Type: Routine - Food

Inspection Disposition: Administrative complaint recommended

Inspector Name: MULERO, JONATHAN

Violation Code

Observation

Violation Citation

46-01-4 Marked exit/path to marked exit blocked. For reporting purposes only.
At bathroom hallway exit door blocks by stack of chairs.

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

46-01-4 - From initial inspection : Marked exit/path to marked exit blocked. For reporting purposes only.
At bathroom hallway exit door blocks by stack of chairs. - From follow-up inspection 2024-03-27: **Time Extended**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6214974 NOVU AT PONCE
 License Type: Permanent Food Service 95 CENTRAL AVE, ST. PETERSBURG 33701

Inspection Date: 03/29/2024 Inspection Number: 3422555 Inspection Type: Complaint Full Inspection Disposition: Call Back - Extension given, pending
 Inspector Name: MURPHY, JAMES

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	- From initial inspection : Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Residential stove and residential hood system in kitchen. No hood suppression system. **Repeat Violation** - From follow-up inspection 2024-03-29: **Time Extended**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Residential stove and residential hood system in kitchen. No hood suppression system. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6218403 ALLELO
 License Type: Permanent Food Service 300 BEACH DR NE #128, ST. PETERSBURG 33701

Inspection Date: 03/26/2024 Inspection Number: 3404707 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: MURPHY, JAMES

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-05-4	Portable fire extinguisher missing from its designated location. For reporting purposes only. Fire extinguisher in kitchen is on floor underneath prep table.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6217089 BOB EVANS RESTAURANT 582
 License Type: Permanent Food Service 2183 GULF TO BAY BLVD, CLEARWATER 33765-3902

Inspection Date: 03/26/2024 Inspection Number: 3403579 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: PEARCE, LAURA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-02-4	Portable fire extinguisher gauge in red zone. Class K . For reporting purposes only in back kitchen .	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Pinellas County

License Number: 6213361

MIXER'S BAR & GRILL

License Type: Permanent Food Service

3430 E LAKE RD STE 1, PALM HARBOR 346852414

Inspection Date: 03/19/2024

Inspection Number: 3346615

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: BEACHAM, MICHELLE

Violation Code

Observation

Violation Citation

48-04-4

Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.
Employee moved tank to be outside of the building **Corrected On-Site**

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Seminole County

License Number: 6903956

WING STOP

License Type: Permanent Food Service

1050 SR 436, CASSELBERRY 32707

Inspection Date: 03/28/2024

Inspection Number: 3395701

Inspection Type: Routine - Food

Inspection Disposition: Inspection Completed - No Further Action

Inspector Name: VO, STEVE

Violation Code

Observation

Violation Citation

46-04-4

Exit door locked. For reporting purposes only.
- back door locked with deadbolt

509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

St. Lucie County

License Number: 6650504 EL HAY BENDITO CATERING SERV
 License Type: Mobile Food Dispensing Vehicle 7550 PRUITT RESEARCH RD, VIN 2463, FORT PIERCE 34945

Inspection Date: 03/27/2024 Inspection Number: 1273182 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: HARROD, JESSICA

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. 2 house hood fryers being used no hood system above them. Owner states they are in process of replacing fryer	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6605149 HAVANA GEORGE CAFE
 License Type: Permanent Food Service 100 SOUTH 2 STREET SUITE 102, FORT PIERCE 34950

Inspection Date: 03/25/2024 Inspection Number: 3411432 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BOWDEN, CHRISTOPHER

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
45-04-4	Use of cooking equipment producing grease laden vapors/smoke with no hood suppression system installed. Notified Fire AHJ. For reporting purposes only. Counter top fryer in preparation room producing grease laden vapors. **Repeat Violation**	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 6602880 SHINGDIG IRISH RESTAURANT & PUB
 License Type: Permanent Food Service 464 SW PORT ST LUCIE BLVD 115, PORT ST LUCIE 34953

Inspection Date: 03/26/2024 Inspection Number: 3422497 Inspection Type: Complaint Full Inspection Disposition: Emergency order recommended
 Inspector Name: USHER, LAUREN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-04-4	Propane tank (larger than 2.7 lb. water capacity/1 lb. gas capacity) located inside of the building. For reporting purposes only.	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

Volusia County

License Number: 7406959 SLAPPED KITCHEN
 License Type: Permanent Food Service 456 S DR MARTIN LUTHER KING JR BLVD, DAYTONA BEACH 32114
 Inspection Date: 03/27/2024 Inspection Number: 3421715 Inspection Type: Food-Licensing Inspection Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BRANNER, LISELOTTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
48-03-4	Per gas tech faulty valve on fryer and is turning gas off to the fryer. Per operator tech is ordering part. For reporting purposes only.	509.211(2)(a) FS Reporting: (2) (a) It is unlawful for any person to use within any public lodging establishment or public food service establishment any fuel-burning wick-type equipment for space heating unless such equipment is vented so as to prevent the accumulation of toxic or injurious gases or liquids. For reporting purposes only.

License Number: 7407666 4RIVERS SMOKEHOUSE
 License Type: Permanent Food Service 1866 VICTORY CIR, DAYTONA BEACH 32114
 Inspection Date: 03/29/2024 Inspection Number: 3405970 Inspection Type: Routine - Food Inspection Disposition: Inspection Completed - No Further Action
 Inspector Name: BRANNER, LISELOTTE

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
46-01-4	Marked exit/path to marked exit blocked. For reporting purposes only. Exit partial blocked side exit in dining room	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.

License Number: 7407436 JIMMY HULAS OF ORMOND BEACH
 License Type: Permanent Food Service 191 E GRANADA BLVD, ORMOND BEACH 32176
 Inspection Date: 03/29/2024 Inspection Number: 3403351 Inspection Type: Routine - Food Inspection Disposition: Warning Issued
 Inspector Name: WOOD, JUSTIN

<u>Violation Code</u>	<u>Observation</u>	<u>Violation Citation</u>
47-03-4	Observed electrical wiring in disrepair. For reporting purposes only. -rear of building mounted to wall	509.032(2)(d) FS Reporting: (d) The division, or its agent, shall notify the local firesafety authority or the State Fire Marshal of any readily observable violation of a rule adopted under chapter 633 which relates to public lodging establishments or public food establishments, and the identification of such violation does not require any firesafety inspection certification. For reporting purposes only.